


# 2014-2015 National Survey on Drug Use and Health National Maps of Prevalence Estimates, by State

The 52 national maps presented here show the 2014-2015 National Survey on Drug Use and Health (NSDUH) estimates for 14 substance use and mental health outcomes, by age group, for 50 states and the District of Columbia. Each web link in the table of contents can be used to navigate to all of the maps (for all of the age groups) for the outcome listed in that row. The color of each state on the U.S. maps indicates how the state ranks relative to other states for each measure. States could fall into one of five groups according to their ranking by quintiles. Because 51 states were ranked for each measure, the middle quintile was assigned to 11 states, and the remaining quintiles were assigned 10 states each. In some cases, a "quintile" could have more or fewer states than desired because two (or more) states had the same estimate (to two decimal places). When such ties occurred at the "boundary" between two quintiles, all of the states with the same estimate were conservatively assigned to the lower quintile. Those states with the highest rates for a given measure are in red. Those states with the lowest estimates are in white. The upper and lower limits of each quintile shown in the map legend collectively define a continuum and are not necessarily the actual values of a particular state. For example, in [Figure 1a](#), the values on the boundary in the lowest quintile correspond to Mississippi (8.67 percent) and Tennessee (11.05 percent) and are displayed in the legend. In the next to lowest quintile, West Virginia (11.07 percent) and Ohio (12.13 percent) are the states with the lowest and highest values; however, in the continuum of the legend, the lower limit was assigned a value of 11.06 percent because the upper limit of the quintile below it is 11.05 percent.


Tables containing specific estimates for these states are available on the 2014-2015 NSDUH web page at <http://www.samhsa.gov/data/>.

**Figure 1a** *Marijuana Use in the Past Year among Individuals Aged 12 or Older, by State: Percentages, Annual Averages Based on 2014 and 2015 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2014 and 2015.

**Figure 1b** *Marijuana Use in the Past Year among Youths Aged 12 to 17, by State: Percentages, Annual Averages Based on 2014 and 2015 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2014 and 2015.

**Figure 1c** *Marijuana Use in the Past Year among Adults Aged 18 to 25, by State: Percentages, Annual Averages Based on 2014 and 2015 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2014 and 2015.

**Figure 1d** *Marijuana Use in the Past Year among Adults Aged 26 or Older, by State: Percentages, Annual Averages Based on 2014 and 2015 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2014 and 2015.

**Figure 2a** *Marijuana Use in the Past Month among Individuals Aged 12 or Older, by State: Percentages, Annual Averages Based on 2014 and 2015 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2014 and 2015.

**Figure 2b** *Marijuana Use in the Past Month among Youths Aged 12 to 17, by State: Percentages, Annual Averages Based on 2014 and 2015 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2014 and 2015.

**Figure 2c** *Marijuana Use in the Past Month among Adults Aged 18 to 25, by State: Percentages, Annual Averages Based on 2014 and 2015 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2014 and 2015.

**Figure 2d** *Marijuana Use in the Past Month among Adults Aged 26 or Older, by State: Percentages, Annual Averages Based on 2014 and 2015 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2014 and 2015.

**Figure 3a** *First Use of Marijuana among Individuals Aged 12 or Older, by State: Average Annual Incidence Estimates (Expressed as Percentages) Based on 2014 and 2015 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2014 and 2015.

**Figure 3b** *First Use of Marijuana among Youths Aged 12 to 17, by State: Average Annual Incidence Estimates (Expressed as Percentages) Based on 2014 and 2015 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2014 and 2015.

**Figure 3c** *First Use of Marijuana among Adults Aged 18 to 25, by State: Average Annual Incidence Estimates (Expressed as Percentages) Based on 2014 and 2015 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2014 and 2015.

**Figure 4a** *Cocaine Use in the Past Year among Individuals Aged 12 or Older, by State: Percentages, Annual Averages Based on 2014 and 2015 NSDUHs*



Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2014 and 2015.


**Figure 4b** *Cocaine Use in the Past Year among Youths Aged 12 to 17, by State: Percentages, Annual Averages Based on 2014 and 2015 NSDUHs*



Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2014 and 2015.




**Figure 4c** *Cocaine Use in the Past Year among Adults Aged 18 to 25, by State: Percentages, Annual Averages Based on 2014 and 2015 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2014 and 2015.

**Figure 4d** *Cocaine Use in the Past Year among Adults Aged 26 or Older, by State: Percentages, Annual Averages Based on 2014 and 2015 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2014 and 2015.

**Figure 5a** *Heroin Use in the Past Year among Individuals Aged 12 or Older, by State: Percentages, Annual Averages Based on 2014 and 2015 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2014 and 2015.

**Figure 5b** *Heroin Use in the Past Year among Adults Aged 18 to 25, by State: Percentages, Annual Averages Based on 2014 and 2015 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2014 and 2015.

**Figure 5c** *Heroin Use in the Past Year among Adults Aged 26 or Older, by State: Percentages, Annual Averages Based on 2014 and 2015 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2014 and 2015.

**Figure 6a** *Alcohol Use in the Past Month among Individuals Aged 12 or Older, by State: Percentages, Annual Averages Based on 2014 and 2015 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2014 and 2015.

**Figure 6b** *Alcohol Use in the Past Month among Youths Aged 12 to 17, by State: Percentages, Annual Averages Based on 2014 and 2015 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2014 and 2015.

**Figure 6c** *Alcohol Use in the Past Month among Adults Aged 18 to 25, by State: Percentages, Annual Averages Based on 2014 and 2015 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2014 and 2015.

**Figure 6d** *Alcohol Use in the Past Month among Adults Aged 26 or Older, by State: Percentages, Annual Averages Based on 2014 and 2015 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2014 and 2015.

**Figure 7a** *Alcohol Use in the Past Month among Individuals Aged 12 to 20, by State: Percentages, Annual Averages Based on 2014 and 2015 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2014 and 2015.

**Figure 8a** *Tobacco Product Use in the Past Month among Individuals Aged 12 or Older, by State: Percentages, Annual Averages Based on 2014 and 2015 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2014 and 2015.

**Figure 8b** *Tobacco Product Use in the Past Month among Youths Aged 12 to 17, by State: Percentages, Annual Averages Based on 2014 and 2015 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2014 and 2015.

**Figure 8c** *Tobacco Product Use in the Past Month among Adults Aged 18 to 25, by State: Percentages, Annual Averages Based on 2014 and 2015 NSDUHs*



Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2014 and 2015.


**Figure 8d** *Tobacco Product Use in the Past Month among Adults Aged 26 or Older, by State: Percentages, Annual Averages Based on 2014 and 2015 NSDUHs*



Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2014 and 2015.




**Figure 9a** *Cigarette Use in the Past Month among Individuals Aged 12 or Older, by State: Percentages, Annual Averages Based on 2014 and 2015 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2014 and 2015.

**Figure 9b** *Cigarette Use in the Past Month among Youths Aged 12 to 17, by State: Percentages, Annual Averages Based on 2014 and 2015 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2014 and 2015.

**Figure 9c** *Cigarette Use in the Past Month among Adults Aged 18 to 25, by State: Percentages, Annual Averages Based on 2014 and 2015 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2014 and 2015.

**Figure 9d** *Cigarette Use in the Past Month among Adults Aged 26 or Older, by State: Percentages, Annual Averages Based on 2014 and 2015 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2014 and 2015.

**Figure 10a** *Alcohol Use Disorder in the Past Year among Individuals Aged 12 or Older, by State: Percentages, Annual Averages Based on 2014 and 2015 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2014 and 2015.

**Figure 10b** *Alcohol Use Disorder in the Past Year among Youths Aged 12 to 17, by State: Percentages, Annual Averages Based on 2014 and 2015 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2014 and 2015.

**Figure 10c** *Alcohol Use Disorder in the Past Year among Adults Aged 18 to 25, by State: Percentages, Annual Averages Based on 2014 and 2015 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2014 and 2015.

**Figure 10d** *Alcohol Use Disorder in the Past Year among Adults Aged 26 or Older, by State: Percentages, Annual Averages Based on 2014 and 2015 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2014 and 2015.

**Figure 11a** *Alcohol Dependence in the Past Year among Individuals Aged 12 or Older, by State: Percentages, Annual Averages Based on 2014 and 2015 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2014 and 2015.

**Figure 11b** *Alcohol Dependence in the Past Year among Youths Aged 12 to 17, by State: Percentages, Annual Averages Based on 2014 and 2015 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2014 and 2015.

**Figure 11c** *Alcohol Dependence in the Past Year among Adults Aged 18 to 25, by State: Percentages, Annual Averages Based on 2014 and 2015 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2014 and 2015.

**Figure 11d** *Alcohol Dependence in the Past Year among Adults Aged 26 or Older, by State: Percentages, Annual Averages Based on 2014 and 2015 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2014 and 2015.

**Figure 12a** *Serious Mental Illness in the Past Year among Adults Aged 18 or Older, by State: Percentages, Annual Averages Based on 2014 and 2015 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2014 and 2015.

**Figure 12b** *Serious Mental Illness in the Past Year among Adults Aged 18 to 25, by State: Percentages, Annual Averages Based on 2014 and 2015 NSDUHs*



Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2014 and 2015.


**Figure 12c** *Serious Mental Illness in the Past Year among Adults Aged 26 or Older, by State: Percentages, Annual Averages Based on 2014 and 2015 NSDUHs*



Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2014 and 2015.




**Figure 13a** *Any Mental Illness in the Past Year among Adults Aged 18 or Older, by State: Percentages, Annual Averages Based on 2014 and 2015 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2014 and 2015.

**Figure 13b** *Any Mental Illness in the Past Year among Adults Aged 18 to 25, by State: Percentages, Annual Averages Based on 2014 and 2015 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2014 and 2015.

**Figure 13c** *Any Mental Illness in the Past Year among Adults Aged 26 or Older, by State: Percentages, Annual Averages Based on 2014 and 2015 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2014 and 2015.

**Figure 14a** *Had Serious Thoughts of Suicide in the Past Year among Adults Aged 18 or Older, by State: Percentages, Annual Averages Based on 2014 and 2015 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2014 and 2015.

**Figure 14b** *Had Serious Thoughts of Suicide in the Past Year among Adults Aged 18 to 25, by State: Percentages, Annual Averages Based on 2014 and 2015 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2014 and 2015.

**Figure 14c** *Had Serious Thoughts of Suicide in the Past Year among Adults Aged 26 or Older, by State: Percentages, Annual Averages Based on 2014 and 2015 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2014 and 2015.

**Figure 15a** *Major Depressive Episode in the Past Year among Adults Aged 18 or Older, by State: Percentages, Annual Averages Based on 2014 and 2015 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2014 and 2015.

**Figure 15b** *Major Depressive Episode in the Past Year among Youths Aged 12 to 17, by State: Percentages, Annual Averages Based on 2014 and 2015 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2014 and 2015.

**Figure 15c** *Major Depressive Episode in the Past Year among Adults Aged 18 to 25, by State: Percentages, Annual Averages Based on 2014 and 2015 NSDUHs*



Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2014 and 2015.

**Figure 15d** *Major Depressive Episode in the Past Year among Adults Aged 26 or Older, by State: Percentages, Annual Averages Based on 2014 and 2015 NSDUHs*



Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2014 and 2015.